EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1		10/514423	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S 2	7	09/856541	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
83	7	S2 and offset same (updat \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S4	——————————————————————————————————————	S2 and partial\$2 same (updat \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S5	8865	(707/102,104.01).cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S6	330242	("707" "701" "705" "709" "715").clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S7	113	updat\$3 near5 (chunk portion) near5 position and (@ad< "20020517" @pd< "20020517" @rlad< "20020517")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33

S 8	32	S7 and S6	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S9	653	(chunk portion) near5 position with map and (@ad<"20020517" @pd<"20020517" @rlad<"20020517")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S10	204	S9 and S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S11	4	S9 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S12	_	09/856541	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S13	Ţ	S12 and limit\$3 same size	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S14	_	\$12 and display\$3 same updat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S15	1	\$12 and search\$3 same updat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33

S16	1	S12 and search\$3 same display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S17	1	S12 and offset same updat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S18	1	\$12 and position same updat \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S19	1	S12 and background same size	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S20	214	map same (depth height) same (generat\$3 updat\$3) near5 time and (@ad<"20020517" @pd="20020517" @rlad<"20020517")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S21	3	map same (metadata (meta adj data) header) same (depth height) same (generat \$3 updat\$3) near5 (time date) and (@ad<"20020517" @pd<"20020517")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S22	4	map same (metadata (meta adj data) header) same (depth height) and map same (metadata (meta adj data) header) same (generat \$3 updat\$3) near5 (time date) and (@ad<"20020517" @pd<"20020517")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S23	1	S12 and updat\$3 same unit adj record	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33

\$24	——————————————————————————————————————	map near5 coordinat\$3 and (metadata (meta adj data)) same (height depth) and (metadata (meta adj data)) same (generat\$3 updat\$3 modify\$3 modification) near5 (date time) and (@ad< "20020517" @pd<"20020517" @rlad< "20020517")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
\$25	18	coordinat\$3 and (metadata (meta adj data)) same (height depth) and (metadata (meta adj data)) same (generat\$3 updat\$3 modify\$3 modification) near5 (date time) and (@ad<"20020517" @pd<"20020517") @rlad<"20020517")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S26	16	gps and (metadata (meta adj data)) same (height depth) same (date time) and (@ad<"20020517" @pd<"20020517" @rlad<"20020517")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S27	1083	gps same (height depth) same (date time) and (@ad<"20020517" @pd<"20020517" @rlad<"20020517")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S28	3	gps same (height depth) same (date time) and gps same (metadata (meta adj data)) and (@ads "20020517" @pd< "20020517")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S29	8	updat\$3 near5 (chunk portion division) near5 position same map and (@ad<"20020517" @pda"20020517" @rlad<"20020517")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
\$30	4	digital near5 map same (height depth) and map same (generat\$3 updat\$3) near5 (time not (realime (real adj time))) and (@ad<"20020517" @pd<"20020517" @rlad<"20020517")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33

S31	108	(map gps) same (height depth eleval\$3) and (map gps) same (generat\$3 updat \$3) near5 (timestamp\$4 (time adj stamp\$4)) and (@ad< "20020517" @pd<"20020517")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S32	102	(map) same (height depth elevat\$3) same (street road highway coordinat\$3) and (map) same (generat\$3 updat \$3) near5 (timestamp\$4 (time adj stamp\$4)) and (@ad<*20020517" @pd<*20020517" @riad<*20020517")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S33	98	(map) near5 (street road highway coordinat\$3) same (height depth3) and (map) same(generat\$3 updat\$3) near5 (timestamp\$4 (time adj stamp\$4)) and (@ad<"20020517" @pd<"20020517" @ptd<"20020517")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S34	2	map same (height depth3) and (updat\$3) near5 (timestamp\$4 (time adj stamp\$4)) and (@ad<"20020517" @pd<"20020517" @itad<"20020517")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S35	53	map same ((three adj dimension\$3) (3-d) ("3" adj dimension\$3)) and updat\$3 near5 (timestamp\$4 (time adj stamp\$4)) and (@ad<"20020517" @pd="20020517" @rlad<"20020517")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S36	160	map same ((three adj dimension\$3) (3-d) ("3" adj dimension\$3)) and (unit division chunk portion part) same (timestamp\$4 (time adj stamp\$4)) and (@ad< "20020517" @pd="20020517" @riad	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33

S37	8	updat\$3 near5 (chunk portion division) near5 position same map and (@ad<"20020517" @pd<"20020517" @rlad<"20020517")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S38	4	10/972246	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S39	1	"6636802".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S40	1	S39 and updat\$3 near5 (data info information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S41	1	S39 and high\$2 near5 level same low\$2 near5 level	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S42	3	manag\$3 near5 map same size near5 excess\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S43	1135	map same upper near5 limit and (@ad<"20020517" @pd<"20020517" @rlad<"20020517")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S44	80	map same upper near5 limit same size and (@ad<"20020517" @pd<"20020517" @rlad<"20020517")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33

S45	5	S44 and (geo geograph\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S46	303	map same size near5 limit same size and (@ad<"20020517" @pd<"20020517" @rlad<"20020517")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S47	2	categoriz\$5 near5 map same size and (geograph\$6) and (@ad<"20020517" @pd<"20020517" @rlad<"20020517")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/02 15:33
S48	5	(geo geograph\$4) near5 map same updat\$3 near5 (chunk portion division) and (@ad<"20020517" @rlad<"20020517"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/03 08:54
S50	25	digital near5 map near5 structure and route near5 search\$3 and (@ad<"20020517" @pd<"20020517" @rlad<"20020517")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/03 08:58
S51	7	\$50 and map near5 (chunk division unit portion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/03 08:59
S52	1	10/514423	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/03 09:11
S53	1	"6636802".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/03 12:36

S54	1	\$53 and rout\$3 near5 search \$3 same (zoom\$3 scal\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/03 12:36
S55	7	\$53 and rout\$3 near5 (search \$3 guid\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/03 12:57
S56	1	"20020059024"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/03 13:13
S59	54	map near5 (metadata (meta adj (data info)) information) same (available accessible) near5 (scal\$3 zoom\$3 level \$3) and (@ad<"20020517" @pd<"20020517" @rlad<"20020517"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/03 13:19
S60	29	S59 and (geo geographic\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/03 13:19
S61	36	route near5 search\$3 same (lower higher) near5 (level zoom scale) and (@ad<"20020517" @pd<"20020517" @rlad<"20020517")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/03 13:32
S65	13	(exceed\$3 excess\$3) near5 size same (after before) near5 updat\$3 and (@ad<"20020517" @pd<"20020517" @rlad<"20020517")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/03 16:21
S 66	0	manag\$3 near5 size near5 map same (after before) near5 updat\$3 and (@adc "20020517" @pd<"20020517" @rlad<"20020517")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/03 16:24

S67	13	manag\$3 near5 size near5 map same updat\$3 and (@ad<"20020517" @pd<"20020517" @rlad<"20020517")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/03 16:24
S68	1	manag\$3 near5 size same updat\$3 and (geo geographic \$4) near5 map and (@ad<"20020517" @pd<"20020517" @rlad<"20020517"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/03 16:26
S71	17	(important priority) near5 (data file information) same size near5 manag\$3 and (@ad<"20020517" @pd<"20020517" @rlad<"20020517")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 15:29
S72	1	11/913393	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/09 16:17
S73	17	(important priority) near5 (data file information) same size near5 manag\$3 and (@ad<"20020517" @dod"20020517" @rlad<"20020517")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 08:38
S74	241	(automatic\$4 dynamic\$4) near5 reduc\$3 near5 size same (picture image) and (@ad<"20020517" @de"20020517" @rlad<"20020517")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 09:06
S75	6	(automatic\$4 dynamic\$4) near5 reduc\$3 near5 size same (picture image) same excecd\$3 and (@ad<*20020517" @pd<*20020517" @ilad<*20020517")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/10
S76	18	(automatic\$4 dynamic\$4) near5 reduc\$3 near5 size same (picture image) and siz \$3 near5 exceed\$3 and (@ad<"20020517" @pd<"20020517")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/03/10 09:10

3/10/2010 11:00:35 AM

C:\ Documents and Settings\ shoang\ My Documents\ EAST\ Workspaces\ son_10_514_423_case.

wsp